

Fullmoto 4T 10W-40

Ultra High Performance for Your Motorcycle

PRODUCT DESCRIPTION

Fullmoto 4T 10W40, is a synthetic based motorcycle oil which provides ultra high performance in all riding and climate conditions due to its special formulation. It has been specially developed to meet the requirements of the leading motorcycle manufacturers. It is suitable to use in motorcycles with dry or wet clutch systems.

APPLICATIONS

- It is suitable to use in air or water cooled 4-stroke engines that have ultra high performance under all riding and climate conditions.

CHARACTERISTICS

- Its excellent rust, corrosion and wear protection provides long life for the engine and its parts.
- It compensates friction in clutch systems, so provides quiet and easy shifting even at high engine temperatures.
- Its good oil circulation at low temperatures provides excellent wear protection during engine start up.
- It keeps engine clean and enables trouble-free operation by controlling formation of sludge at high temperatures.

PERFORMANCES

- API SN
- JASO MA2

TYPICAL PROPERTIES

Density@15°C, g/ml	ASTM D 4052	0,886
Viscosity@ 40°C, mm ² /s	ASTM D 445	104,3
Viscosity@100°C, mm ² /s	ASTM D 445	15,2
Viscosity Index	ASTM D 2270	154
Flash Point, °C	ASTM D 92	220
Pour Point, °C	ASTM D 5950	-36

HEALTH AND SAFETY RECOMMENDATIONS

Waste oils must not be discharged into underground or surface water sources, sewage systems or garbage cans. Prolonged or repeated contact with used oils may cause skin diseases. Therefore sterilized gloves should always be used. If part of the skin comes into contact with waste oil, that part should be immediately washed with plenty of soap and water. In case of skin irritation or redness caused by contact, seek advice of your doctor immediately. For more information contact Material Safety Data Sheet (MSDS).

The vehicle and equipment manufacturers specifications and relevant international standards were taken into consideration while preparing the content of this Technical Data Sheet. The expressions in the content of this Technical Data Sheet can not be considered as guarantee commitment or similar way in terms of product characteristics and product use in any applications.

The correct use of this product, compliance with applicable laws and regulations is responsibility of the user. Opet Fuchs Madeni Yağ. San. ve Tic. A.Ş. can not be held responsible for any loss or damage arising from the abnormal use and misuse or any hazards of product content and its results.

This Technical Data Sheet is valid from the date of publication. The information in the content of this Technical Data Sheet are subject to change without notice. Please contact with Opet Fuchs Technical Services Department for more information.